No. 340247 Machine: 6200 Published: 6-99/00 System: OPTIONS

NOTE: DO NOT DISCARD the Parts List from the Instruction Bulletin. Place the Parts List in the appropriate place in your machine manual for future reference. Retaining the Parts List will make it easier to reorder individual parts and will save you the cost of ordering an entire kit.

NOTE: Numbers in parenthesis () are reference numbers for parts listed in Bill of Materials.

Installation instructions for kit number 384121

SYNOPSIS / PROBLEM:

This kit contains the parts needed to install a back up alarm kit on the model 6200E sweeper/scrubber.

Please follow step-by-step instructions.

SPECIAL TOOLS / CONSIDERATIONS: NONE

(Estimated time to complete: 1 hour)

PREPARATION: (Refer to FIG. 1 and 2)

FOR SAFETY: Before leaving or servicing machine, stop on level surface and set parking brake. Then turn off machine and remove key.

1. Disconnect battery cables from machine.



WARNING: Always disconnect battery cables from machine before working on electrical components.

INSTALLATION:

(Refer to FIG. 1 and 2)

- 1. Locate the horn mounting locations shown in figure one. (Refer to FIG. 1)
- NOTE: The horn will mount on the light mounting bracket, as shown in the lower drawing, if the machine is equipped with a warning light option.
 - 2. Wire the horn (1) into the main wiring harness. (Refer to FIG. 1 and 2)
 - 3. Mount the horn (1) to the machine with hex screws (2), washers (3) and lock nuts (4). (Refer to FIG. 1)
 - 4. Turn the machine power on.
 - 5. Press the bottom of the directional pedal with the heel of your foot to check back up alarm for proper operation.




FIG. 1 - BACKUP ALARM KIT INSTALLATION




FIG. 2 - BACKUP ALARM KIT ELECTRICAL SCHEMATIC BILL OF MATERIALS FOR BACKUP ALARM KIT 384121

Ref.	TENNANT Part No.	Description	Qty.
1	83254	Kit, horn, backup alarm	1
2	16931	Screw, hex, M8-1.25 X 20	2
3	32491	Washer, flat, .31 hard	4
4	08709	Nut, hex, lock, M8-1.25	2

TENNANT COMPANY
P. O. Box 1452
Minneapolis, MN 55440-1452
