

CREATING A CLEANER, SAFER, HEALTHIER WORLD.



T1 Battery

MICRO-SCRUBBER

- Cord-free flexibility allows cleaning even when people are present
- Optional lithium-ion battery provides up to 20 times longer battery life and can clean multiple times per day
- Compact, forward and reverse scrubbing and drying delivers quiet, best-in-class cleaning of congested spaces

QUIETLY DELIVERS A CLEAN AND SAFE ENVIRONMENT ANY TIME OF DAY FOR RETAIL, HEALTHCARE AND EDUCATION



COMPACT, MANEUVERABLE DESIGN, AND POWERFUL SCRUBBING ACTION

At 68 dBa, the T1 Battery Micro-Scrubber cleans small, congested areas safely and efficiently without disturbing customers, patients, students or employees. The T1 Battery Micro-Scrubber replaces mop and bucket cleaning and features excellent water recovery to reduce slip and fall accidents.

SCRUBBER CAN BE USED AND RECHARGED MULTIPLE TIMES A DAY

An industry first in this category, the T1 Battery Micro-Scrubber with the lithium-ion battery is a multiple-use, daily cleaning tool that is virtually always ready to clean. Compared to standard batteries, lithium-ion battery technology lasts up to 20 times longer in high-frequency, quick-charge applications.

CORDLESS DESIGN PROVIDES SAFE, FLEXIBLE CLEANING

The T1 Battery Micro-Scrubber eliminates cord hazards and constraints, so facilities can be cleaned regardless of the time of day.

TWO BATTERY OPTIONS TO MATCH YOUR NEEDS

The AGM battery option provides up to 45 minutes of high-performance cleaning – great for standard cleaning applications with 1-2 charges per day. The lithium-ion battery option provides up to 60 minutes of run time – excellent for multiple use charge applications where lightweight and longer run time is desired. Lithium-ion batteries can be charged three or more times per day.

BATTERY RECOMMENDATION CHART

APPLICATIONS	BATTERY SYSTEM
1-2 charges per day (standard daily cleaning)	Lithium-ion / AGM
3 or more charges per day	Lithium-ion
Multiple users/departments daily	Lithium-ion
"Utility Tool" usage – mop and bucket approach for cleaning	Lithium-ion
Seasonal clean up issues (snow/salt, sand, rain, etc.) tracked into facility	Lithium-ion
Frequent spills or touch ups needed	Lithium-ion

INSIDE THE

T1B



QUALITY OPTIONS / FEATURES ENSURE PEAK PERFORMANCE

- A Insta-Adjust™ handle improves worker comfort and productivity.
- Optional quick-charge lithiumion battery enables unit to be used multiple times per day.
- Removable, easy-to-clean Hygenic® tanks reduce bacteria growth and improve environmental health.
- No-tools required, easily accessible squeegee and brush that can be changed in seconds and help reduce downtime and operator training.



TENNANTTRUE® PARTS, SERVICE AND FINANCE SOLUTIONS

- Reduce rework, labor and safety costs by using only Tennant *True* parts and service.
- Ensure optimal cleaning performance by selecting a Tennant True Service program.
- Improve uptime by leveraging Tennant True parts and service.

T1 BATTERY MICRO-SCRUBBER

SCRUBBING SYSTEM

 $\begin{array}{lll} \text{Cleaning path} & 15 \text{ in } / 380 \text{ mm} \\ \text{Productivity (per hour)} & & \\ \text{Theoretical max} & 14,875 \text{ ft}^2 / 1,380 \text{ m}^2 \\ \text{Estimated coverage*} & 7,750 \text{ ft}^2 / 720 \text{ m}^2 \\ \end{array}$

BRUSH DRIVE SYSTEM

 $\begin{array}{lll} Brush \ motor & 0.65 \ hp \ / \ 0.49 \ kW \\ Brush \ speed & 900 \ rpm \ (@ \ brush) \\ Brush \ down \ pressure & 38 \ lb \ / \ 17 \ kg \\ Brush \ size & 3.5 \ in \ / \ 89 \ mm \end{array}$

SOLUTION DELIVERY SYSTEM

Solution tank capacity 2.5 gal / 9.5 L Solution flow rate 0.10 gpm / 0.37 lpm

RECOVERY SYSTEM

Recovery tank capacity (includes demisting chamber)

Vacuum fan

Motor

Stages

Water lift (sealed)

3.4 gallon / 12.9 L

0.5 hp / .38 kW

1-stage

25 in / 635 mm

POWER SYSTEM

Battery (lithium-ion or AGM) 12.8 VDC
Battery run time (lithium-ion / AGM) up to 60 minutes / up to 45 minutes

MACHINE SPECIFICATIONS

45.4 in / 1,150 mm Length Width 19.7 in / 500 mm Base 17.5 in / 440 mm Squeegee Heiaht Base (to top of cover)
Base (folded handle for storage) 20 in / 510 mm 23.8 in / 600 mm With handle up 34 in / 860 mm Weight Lithium-ion battery 110 lb / 50 kg 126 lb / 57 kg AGM battery 68 dBA Sound level (operator's ear)

WARRANTY

See your local representative for warranty information

*Estimated coverage rates use the practical speed and empty/fill time standards from the 2004 ISSA Cleaning Times handbook.

Specifications subject to change without notice.

SEEING IS BELIEVING

For a demonstration or additional information, send an email to info@tennantco.com

Tennant 701 North Lilac Drive Minneapolis, MN 55422 USA

USA/Canada: +1.800.553.8033 Quebec: +1.800.361.9050 Overseas: +1.763.540.1315

www.tennantco.com info@tennantco.com