



T350 Stand-On Floor Scrubber

Gives you the confidence to reduce cleaning costs while delivering high performance cleaning results.

Available Technologies



ec-H2O NanoClean®



Smart-Fill™



Pro-Panel™



IRIS® Asset Manager

Productive & Versatile



1. Reduce Cost to Clean

- Maximize uptime with a durable design, easy-to-access mechanicals, and readily available parts and consumables.
- Minimize secondary cleaning operations with ec-H2O NanoClean® and Severe Environment™ Switch.

2. Improve Health and Safety

- Reduce the risk of slip-and-fall accidents and ensure soils are removed from the floor with advanced squeegee design.
- Ensure operator comfort and control with ergonomics designed for a stand-on machine with easy-to-use steering and controls



3. Enhance Facility Image

- Ensure consistent results with programmable Zone Settings™ that reduce dependence on operator set-up for different surfaces and areas.
- Clean a variety of floor surfaces, including textured and grouted floors, with excellent down pressure and multiple cleaning pad and brush choices.

4. Minimize Environmental Impact

- Reduce water consumption up to 70% and disposal of cleaning detergents into the waste stream with ec-H2O NanoClean® technology.

Inside the T350



1. Recovery Tank

Large access to recovery tank makes it easy to clean.

2. Solution Tank

14.1 gallon (53 L) solution tank extends cleaning time

3. Standard Insta-Click™ System

The magnetic brush and pad mounting system makes installation and removal of cleaning pads and brushes easy.

4. Advanced Squeegee Design

New quick release functionality helps ensure excellent water pick-up and easy blade maintenance and replacement.

5. Back Pedal

Go pedal on platform minimizes fatigue.

6. Water Fill Port

Integrated hose retainer helps operators fill the water tank efficiently.

7. Intuitive Ergonomic Operator Controls

Designed for a stand-on scrubber.

T350 Specifications

| | SINGLE DISK | DUAL DISK |
|---|--|--|
| | 20 in/500 mm | 24 in/600 mm |
| Productivity (per hour) Theoretical Max | 31,680 ft ² (2,946 m ²) | 38,016 ft ² (3,535 m ²) |
| Estimated Coverage* Conventional | 24,588 ft ² (2,287 m ²) | 30,052 ft ² (2,795 m ²) |
| Estimated Coverage*ec-H2O NanoClean® | 25,284 ft ² (2,351 m ²) | 30,903 ft ² (2,874 m ²) |
| Scrub motor | 24 VDC, 0.87 HP / 0.65 kW | 24 VDC, 0.87 HP / 0.65 kW |
| Brush/pad RPM | 215 rpm | 275 rpm |
| Brush/pad pressure | 62 & 90 lbs (28 & 41 kg) | 64 & 91 lbs (29 & 41 kg) |
| Solution tank capacity | 14.1 gal (53 L) | 14.1 gal (53 L) |
| Recovery tank capacity | 18.4 gal (70 L) | 18.4 gal (70 L) |
| Vacuum motor | 24 VDC, 0.62 hp / 0.46 kW | 24 VDC, 0.62 hp / 0.46 kW |
| Vacuum waterlift | 42 in (1,067 mm) | 42 in (1,067 mm) |
| System voltage | 24 volt | 24 volt |
| Battery run time (up to hours)** | 3.1 | 4.0 |
| Length x width x height | 55 x 26.5 x 49 in 1,397 x 673 x 1,245 mm | 55 x 26.5 x 49 in 1,397 x 673 x 1,245 mm |
| Weight (with Batteries) | 725 lbs / 329 kg | 730 lbs / 331 kg |
| Sound level (operator's ear)*** | 63.7 dBA | 64.5 dBA |
| Quiet-Mode (operator's ear)*** | 59.7 dBA | 61.3 dBA |



ec-H2O NanoClean® technology is NFSI (National Floor Safety Institute) Certified



ec-H2O NanoClean technology is registered by NSF International

* Estimated coverage rates use the practical speed and empty/fill time standards from the 2004 ISSA Cleaning Times handbook.

** Run times are based on continuous scrubbing run times

*** Sound levels per ISO 11201 as recommended by the American Association of Cleaning Equipment manufacturers & OSHA. Specifications subject to change without notice.

Tennant—Reinvent how the world cleans

With a vision to become a global leader in sustainable cleaning innovation that empowers our customers to create a cleaner, safer and healthier world, Tennant creates solutions that are changing the way the world cleans.



We are where you are

Tennant has the industry's largest direct sales and service organization and a well-supported network of authorized distributors worldwide.



Solutions for your unique needs

Whatever your cleaning needs, Tennant offers a variety of high quality equipment to help you increase your cleaning productivity.



Buying, leasing, renting

We offer flexible options to get you the machines you need, however you need them.



TennantTrue®

Optimize equipment performance and protect your investment with TennantTrue® parts and service.

For a demonstration or additional information, call **+1.800.553.8033** or email **info@tennantco.com**

Tennant

701 North Lilac Drive
Minneapolis, MN 55422 USA

USA/Canada: +1.800.553.8033

Quebec: +1.800.361.9050

Overseas: +1.763.540.1315

www.tennantco.com | info@tennantco.com