



CREATING A CLEANER, SAFER, HEALTHIER WORLD.

EQUIPMENT




T350

STAND-ON FLOOR SCRUBBER

Gives you the confidence to reduce cleaning costs while delivering high performance cleaning results.

CONFIDENCE COMES FROM CHOOSING EQUIPMENT THAT HELPS YOU MEET YOUR GOALS

T350 PROVIDES CATEGORY LEADING PRODUCTIVITY



Tennant practical productivity calculations



REDUCE COST TO CLEAN

- **Clean over 30,000 square feet per hour** without sacrificing performance on the floor.
- **Maximize uptime** with a durable design, easy-to-access mechanicals, and readily available parts and consumables.
- **Maximize machine usage** with up to 94 minutes between dump and fill cycles and up to 4 hours of battery run time.
- **Simplify training and increase efficiency** with on-board machine instructions for operators.
- **Minimize secondary cleaning operations** with ec-H2O NanoClean® and Severe Environment™ Switch.



IMPROVE HEALTH AND SAFETY

- **Reduce the risk of slip-and-fall accidents** and ensure soils are removed from the floor with advanced squeegee design.
- **Ensure operator comfort and control** with ergonomics designed for a stand-on machine with easy-to-use steering and controls.



ENHANCE FACILITY IMAGE

- **Ensure consistent results** with programmable Zone Settings™ that reduce dependence on operator set-up for different surfaces and areas.
- **Effectively clean around obstacles and obstructed spaces** with high productive rates and great maneuverability.
- **Clean a variety of floor surfaces**, including textured and grouted floors, with excellent down pressure and multiple cleaning pad and brush choices.



MINIMIZE ENVIRONMENTAL IMPACT

- **Reduce water consumption** up to 70% and disposal of cleaning detergents into the waste stream with ec-H2O NanoClean® technology.

AROUND THE T350



INNOVATIVE, EXCLUSIVE TECHNOLOGIES

SMART-FILL™ AUTOMATIC BATTERY WATERING

Smart-Fill™ makes battery maintenance safer by removing the task of checking, opening, and filling flooded batteries.

PRO-PANEL® LCD TOUCHSCREEN TECHNOLOGY

Deliver predictable cleaning results with operator ID, on-demand tutorial videos and customizable Zone Settings™ with Pro-Panel® technology.

IRIS® IRIS ASSET MANAGER

Increase productivity, reduce cost to clean and make informed decisions with intelligent insights from IRIS® Asset Manager.

ec H₂O® NanoClean

ec-H₂O NanoClean® technology electrically converts water into an innovative cleaning solution that cleans effectively, saves money, improves safety, and reduces environmental impact compared to daily cleaning floor chemicals and methods.†

†ec-H₂O NanoClean® technology is not suitable for all soils, including heavy concentrations of fats and oils. Depending on the type of soil, conventional chemical cleaners may be required.

TENNANTTRUE® PARTS, SERVICE AND FINANCE SOLUTIONS

- Reduce rework, labor and safety costs by using only TennantTrue parts and service.
- Ensure optimal cleaning performance by selecting a TennantTrue Service program provided by a network of over 400 factory-trained Tennant service representatives.
- Improve uptime by leveraging TennantTrue parts and service.
- Simplify budgeting by bundling TennantTrue service plans, including parts, into the purchase or financing of your machine.

ENVIRONMENTAL STEWARDSHIP



ec-H2O NanoClean® technology is NFSI (National Floor Safety Institute) Certified



ec-H2O NanoClean technology is registered by NSF International

T350 STAND-ON FLOOR SCRUBBER

	20 IN / 500 MM SINGLE DISK	24 IN / 600 MM DUAL DISK
Cleaning Tool Attachment	3-Lug Standard / Insta-Click™ Optional	
Machine Speed		
Top Scrub and Forward Transport	3.6 mph (5.8 km/hr)	
Top Reverse Transport	1.1 mph (1.8 km/hr)	
Scrubbing Coverage Rate Per Hour		
Theoretical Max	31,680 ft ² (2,946 m ²)	38,016 ft ² (3,535 m ²)
Conventional - Practical	24,588 ft ² (2,287 m ²)	30,052 ft ² (2,795 m ²)
ec-H2O NanoClean® - Practical	25,284 ft ² (2,351 m ²)	30,903 ft ² (2,874 m ²)
CONTROL PANEL		
Pro-Membrane™	Standard	
LCD Pro-Panel® Touch Screen	Optional	
BRUSH/PAD DRIVE SYSTEM		
Cleaning Path	20 in / 500 mm	24 in / 600 mm
Pad/Brush RPM	215 rpm	275 rpm
Pad/Brush Down Pressure	62 & 90 lbs (28 & 41 kg)	64 & 91 lbs (29 & 41 kg)
Scrub Motor	24 VDC, 0.87 HP / 0.65 kW	
SOLUTION/RECOVERY SYSTEM		
Solution Tank Capacity	14.1 gal (53 L)	
Recovery Tank Capacity	18.4 gal (70 L)	
Drive Motor	24 VDC, 0.64 HP / 0.48 kW	
Vacuum Motor	24 VDC, 0.62 hp / 0.46 kW	
Vacuum Water Lift	42 in (1,067 mm)	
CLEANING TECHNOLOGY		
Conventional	Standard	
ec-H2O NanoClean® Technology	Optional	
Conventional Water Flow	0.15 / 0.35 / 0.50 gpm	
ec-H2O NanoClean® Technology	0.57 / 1.32 / 1.89 lpm	
Water Flow	0.12 / 0.25 / 0.35 gpm	
	0.45 / 0.95 / 1.32 lpm	
BATTERY SYSTEM		
System Voltage / Battery Count	24 Volts / 4	
Batteries	Wet 210 AH	
	Wet 240 AH (Provides longest run time)	
	Sealed AGM 220AH	
Battery Run Time* (Up to Hours)	3.1	4.0
On-Board Charger	Yes	Yes
Off-Board Charger	Yes	Yes
DECIBEL RATINGS AT OPERATOR EAR**		
Standard - dBA	63.7	64.5
Quiet-Mode™ - dBA	59.7	61.3
MACHINE DIMENSIONS AND WEIGHTS		
Overall Width with Squeegee	30.1" / 765 mm	31.2" / 793 mm
Length X Width X Height	55 X 26.5 X 49 Inches	
	1,397 X 673 X 1,245 mm	
Weight (less batteries)	490 lbs / 222 kg	495 lbs / 225 kg
Weight (with batteries)	725 lbs / 329 kg	730 lbs / 331 kg
WARRANTY		
See your local representative for warranty information		

Specifications subject to change without notice.

* Run times are based on continuous scrubbing run times.

** Sound levels per ISO 11201 as recommended by the American Association of Cleaning Equipment manufacturers & OSHA.

Lease. Pre-Owned. Rent. Tennant has flexible options that get you the machines you need, however you need them.

SEEING IS BELIEVING

For a demonstration or additional information, call +1.800.553.8033 or email info@tennantco.com

Tennant
701 North Lilac Drive
Minneapolis, MN 55422 USA

USA/Canada: +1.800.553.8033
Quebec: +1.800.361.9050
Overseas: +1.763.540.1315

www.tennantco.com
info@tennantco.com