



## COMMON PARTS & CONSUMABLES

Only genuine Tennant parts can ensure peak performance for the life of your equipment.

Serial #

## Brushes

- Excellent cleaning performance, designed and engineered specifically to fit Tennant machines.
- Easy installation helps reduce machine downtime and service calls.
- Optimal operation with Tennant machines, maximizing cleaning effectiveness in one pass.

| PART DESCRIPTION               | SIZE         | PART #  |
|--------------------------------|--------------|---------|
| Nylon Disk Scrub Brush         |              | 1016764 |
| Polypropylene Disk Scrub Brush | 17" (432 mm) | 1016765 |
| Abrasive Disk Scrub Brush      |              | 1016763 |

## Pads/pad drivers

- Available for a variety of cleaning needs and floor types.
  - Polishing
  - Scrubbing
  - Stripping

| PART DESCRIPTION                        | SIZE         | PART #  |
|---|--------------|---------|
| 3M White Polishing Pad, case of 5       | 17" (432 mm) | 1243350 |
| 3M Red Cleaning Pad, case of 5          | 17" (432 mm) | 1243349 |
| 3M Blue Scrubbing Pad, case of 5        | 17" (432 mm) | 1243348 |
| 3M Brown Stripping Pad, case of 5       | 17" (432 mm) | 1243664 |
| 3M Black HiPro Stripping Pad, case of 5 | 17" (432 mm) | 1243663 |
| 3M Maroon Surface Prep Pad, case of 5   | 17" (432 mm) | 1243669 |
| Pad Driver                              | 17" (432 mm) | 1016813 |

## Squeegees

- Exceptional liquid pick-up, designed and engineered specifically to fit Tennant machines.
- Less rework and low labor costs.
- Ideal fit for any application with three types of squeegees.
  - Premium Linatex® and Linard® rubber exhibits outstanding strength and resistance to cutting and tearing.
  - Chemical-resistant urethane has a long service life; well suited for use with organic and petroleum-based oils.
  - Economy Gum Rubber is cost-effective option for smooth, indoor floors, made of a combination of natural material and fillers.

| PART DESCRIPTION                    | SIZE           | PART #  |
|-------------------------------------|----------------|---------|
| Linatex® Front Squeegee             |                | 1016764 |
| Urethane Front Squeegee Blade (Std) | 26.9" (683 mm) | 1016765 |
| Gum Rubber Front Squeegee Blade     |                | 1016763 |
| Linatex® Rear Squeegee Blade        |                | 1040626 |
| Urethane Rear Squeegee Blade (Std)  | 27.8" (706 mm) | 1045384 |
| Gum Rubber Rear Squeegee Blade      |                | 1045383 |

### Pricing & Ordering

Contact Tennant Customer Service at **1-800-553-8033** or [www.tennantco.com](http://www.tennantco.com)

Prices and programs subject to change without notice. ©2024 The Tennant Company. All rights reserved. Rev 4/2024

## General Maintenance

---

| PART DESCRIPTION                  | PART #  |
|-----------------------------------|---------|
| 12V, 105AH, Wet Battery           | 578426  |
| 12V, 70AH, Gel Battery            | 1071125 |
| Power Cord – U.S. (8 ft)          | 1044067 |
| Ignition Key                      | 1011402 |
| Pad Driver (3-Lug)                | 1054019 |
| Rear Swivel Caster                | 1043250 |
| Scrub Head Splash Skirt           | 1011368 |
| Scrub Head Bumper Wheel           | 1010560 |
| Squeegee Clamp Wheel              | 630477  |
| Squeegee Strap Knob               | 603012  |
| Squeegee Assembly Knob            | 1010558 |
| Squeegee Assembly Casters         | 1042507 |
| Squeegee Assembly Vacuum Hose     | 1042313 |
| Recovery Tank Shut Off Float      | 630052  |
| Recovery Tank Debris Tray         | 1036757 |
| Recovery Tank Adapter Hose Gasket | 1037106 |
| Recovery Tank Adapter Hose Assy.  | 1042346 |
| Solution Tank Drain Hose          | 1041008 |
| Solution Tank Fill Strainer       | 1045189 |
| Solution Tank Cover Seal          | 1045506 |
| Vacuum Fan                        | 9004850 |

# TennantTrue® cleaning solutions

- Formulated to help protect gaskets, seals, vacuum fans, or other critical components
- Biodegradable surfactants and recyclable packaging support green cleaning initiatives
- Color coded for easy identification, training, and safety
- Low-foam formulas allows for easy rinsing and may help extend some equipment components

| PART DESCRIPTION  | SIZE          | PART #  |
|---|---------------|---------|
| <b>Neutral pH Daily Cleaner (clear):</b> For light-duty cleaning. Safe for all floor types. Low foam. Contains environmentally safer surfactants. NSF approved. pH: 7-8. Dilution: Light cleaning – 1/4 oz per gal; Moderate cleaning – 1/2 oz per gal.   | 2.5 gal       | 9015248 |
|   | 5 gal         | 9006758 |
|   | 15 gal w/pump | 9006759 |
|   | 15 gal        | 9006760 |
|   | 55 gal w/pump | 9006761 |
|   | 55 gal        | 9006762 |
| <b>Neutral Purpose Cleaner (purple):</b> For medium-duty cleaning. Safe for most floor types. Low foam. Contains environmentally safer surfactants, Green Seal Certified. NSF approved. pH: 10-11. Dilution: Light cleaning – 1/2 oz per gal; Moderate cleaning – 2 oz per gal.   | 275 gal       | 9006763 |
|   | 2.5 gal       | 9015246 |
|   | 5 gal         | 9006764 |
|   | 15 gal w/pump | 9006765 |
|   | 15 gal        | 9006766 |
|   | 55 gal w/pump | 9006767 |
| <b>Neutral pH Solvent Degreaser (yellow):</b> For aggressive cleaning in heavy manufacturing & industrial environments. Good for grease removal. Low foam. Contains low volatile solvents & environmentally safer surfactants. NSF approved. pH: 7-8. Dilution: Light cleaning – 1 oz per gal; Heavy cleaning – 4 oz per gal.   | 55 gal        | 9006768 |
|   | 275 gal       | 9006769 |
|   | 2.5 gal       | 9015247 |
|   | 5 gal         | 9006770 |
|   | 15 gal w/pump | 9006771 |
|   | 15 gal        | 9006772 |
| <b>High Alkaline Degreaser (red):</b> For heavy-duty cleaning in manufacturing & industrial environments with petroleum & grease. Low foam. Contains low volatile solvents. NSF approved. pH: 12.5-13.5. Dilution: Light cleaning – 1 oz per gal; Heavy cleaning – 4 oz per gal.  | 55 gal w/pump | 9006773 |
|   | 55 gal        | 9006774 |
|   | 275 gal       | 9006775 |
|   | 2.5 gal       | 9015249 |
|   | 5 gal         | 9006776 |
|   | 15 gal w/pump | 9006777 |
| <b>Super Strength Solvent Degreaser (orange):</b> For extremely aggressive cleaning in heavy manufacturing & industrial environments. Good for grease & mark removal. Low foam. Contains environmentally safer surfactants. NSF approved. pH: 7-8. Dilution: General cleaning – 1/2-3 oz per gal; Heavy cleaning – 4-8 oz per gal; Severe cleaning – up to 15 oz per gal. | 15 gal        | 9006778 |
|   | 55 gal w/pump | 9006779 |
|   | 55 gal        | 9006780 |
|   | 275 gal       | 9006781 |
|   | 2.5 gal       | 9015250 |
|   | 5 gal         | 9008791 |
| <b>High Alkaline Degreaser (white granular):</b> Granular version of the liquid High Alkaline Degreaser. pH: 12-13 @ 3%. Dilution: Light cleaning – one 2.2 lb bag / 4 cups per 30 gal warm water; Heavy cleaning – one 2.2 lb bag / 4 cups per 15 gal warm water.  | 15 gal w/pump | 9008795 |
|   | 15 gal        | 9008796 |
|   | 55 gal w/pump | 9008797 |
|   | 55 gal        | 9008798 |
|   | 22 Lb Box     | 9006782 |
|   | Granular Drum | 9006783 |