



CREATING A CLEANER, SAFER, HEALTHIER WORLD.

EQUIPMENT



8300

BATTERY-POWERED SWEEPER-SCRUBBER

- Experience fume-free operation with continuous battery power capacity
- Improve productivity with ec-H2O™ or FaST® technologies for cleaning up to three times longer than conventional scrubbing methods
- Increase ease of maintenance, as no tools are needed to access the battery, brushes and squeegee system

ACHIEVE EFFORTLESS, ONE-PASS CLEANING



EXCELLENT SCRUBBING PERFORMANCE

MaxPro™ Scrubbing Technology maintains consistent down pressure on brushes for better cleaning performance and longer brush life.

THE SAFEST WAY TO CLEAN


Increase safety and cleanliness with chemical-free ec-h2O™ and FaST® technologies. The 8300 uses up to 70% less water with both technologies, with FaST® using up to 90% less detergent.

EASY TO USE

One button operation, plus simple, no-tool access to the battery, brushes and squeegee system makes the 8300 easy for operators.

INSIDE THE

8300



A Extend run time with large capacity batteries.

B No-mess clean-up with large, easy access recovery tanks.

C Operator comfort is maximised with power steering as standard.

D Maximise productivity with ec-h2O™, FaST® or ES® technologies.

E Productivity is increased with a 136 kg capacity "smart hopper".

F Patented MTS™ (Multi-Technology Sweeping) system delivers excellent direct throw sweeping performance; a re-directional cylinder sweeps debris into the hopper without brush carry over.

G Customise to specifications with cylindrical or disk brushes available.

H Break away, parabolic, no-tool change squeegee with alarm for quick maintenance.

ENGINEERED TO BE EASY TO OPERATE AND MAINTAIN



OFF AISLE SQUEEGEE WAND

Off-aisle squeegee wand increases flexibility and access into hard-to-reach spaces.



SIDE BRUSH

Widen your cleaning path up to 1,630 mm and expand your edge cleaning capabilities with the optional side brush.



EXCLUSIVE TECHNOLOGY

The 8300 is available with exclusive ES® Extended Scrubbing technology. ES® improves productivity by using 66% less chemicals than traditional scrubbing methods.

8300 BATTERY-POWERED SWEEPER-SCRUBBER

SWEEPING SYSTEM

Cleaning path	
Single side brush	1,270 mm
Dual side brush	1,630 mm
Main brush length	920 mm
Brush motor	600 W
Hopper volume capacity	85 L
Hopper weight capacity	136 kg
Hopper dump height	1,530 mm

SCRUBBING SYSTEM

Cleaning path	
MaxPro™ 1000 scrubhead	1,020 mm
MaxPro™ 1200 scrubhead	1,220 mm
Edge scrub reach	130 mm
Solution tank	216 L
Demisting chamber	64 L
Solution recycling tank (ES Option)	340 L
Disk Scrub head	
Brush speed	320 rpm
Brush down pressure (variable to)	227 kg
Brush size (2) MP1000 diameter	510 mm
Brush size (2) MP1000 diameter	410 mm
Brush motors	750 W
Cylindrical scrubhead	
Brush speed	500 rpm
Brush down pressure (variable to)	227 kg
Brush size (2) diameter	230 mm
Brush motors	1.1 kW

RECOVERY SYSTEM

Recovery tank	280 L
Vacuum fan speed	14,000 rpm
Vacuum water lift	1,650 mm
Vacuum fans (2)	630 W

PROPELLING SYSTEM

Propel speed forward (variable to)	8.8 km/h
Propel speed reverse (variable to)	4.8 km/h
Propel motor	3.4 kW
Gradeability	
Transport at gross weight	8° / 14%
Working (sweeping/scrubbing)	6° / 10.5%
Ground clearance	50 mm

MACHINE SPECIFICATIONS

Length	2,640 mm
Width	
Frame	1,145 mm
With rear squeegee MP1000	1,295 mm
With rear squeegee MP1200	1,510 mm
Height	1,445 mm
With overhead guard	2,070 mm
Weight (net with 500 AH batteries)	1,895 kg
Minimum aisle turn	2,870 mm

WARRANTY

See your local representative for warranty information.

*Specifications subject to change without notice.

SEEING IS BELIEVING

For a demonstration or additional information,
send an email to contactus@tennantco.com

Tennant Australia

Toll Free: 1800 226 843
Ph: +61 2 8718 9718

www.tennantco.com.au
contactus@tennantco.com

Tennant New Zealand

Ph: +64 9 253 9013

www.tennantco.co.nz
contactus@tennantco.com