

REINVENT HOW THE WORLD CLEANS



Product Guide

Who we are

A Legacy Built on Advancing the Industry

Founded in 1870 by George H. Tennant, Tennant Company began as a one-man woodworking business, evolved into a successful wood flooring and wood products company, and eventually into a manufacturer of floor cleaning equipment.

Throughout its history, Tennant has remained focused on advancing its industry by aggressively pursuing new technologies and creating a culture that celebrates innovation. Today, Tennant is a global leader in designing, manufacturing and marketing solutions that help create a cleaner, safer, healthier world.



George H. Tennant opens his small woodworking shop in northeast Minneapolis

1870



Tennant engineers invent the first vacuum-equipped power sweeper for industrial use

1947



GH Tennant Inc. goes public as Tennant Company

1969

1932

Tennant begins producing motorized floor cleaning equipment



1963

Tennant introduces the predecessor to the sweeper/scrubber, making Tennant units the most versatile in the world



1970

Tennant develops the first "built from the ground up" riding scrubber





Tennant introduces its first walk-behind scrubber

1978



Tennant introduces ReadySpace® quick-drying carpet cleaning technology

2004



Tennant introduces ec-H2O NanoClean® – the next generation of detergent-free cleaning

2015



Tennant Company celebrates 150 years in business

2020

2002

Tennant introduces FaST® Foam Scrubbing Technology for hard floor surfaces



2008

Tennant introduces ec-H2O™ technology that electrically converts water into an effective cleaning solution



2018

Tennant Company launches the T7AMR, an autonomous mobile robot designed to maximize productivity, increase efficiency and optimize safety



Industry Leading Solutions

Tennant Company is a global leader in sustainable cleaning technologies. We design, manufacture, and market innovative cleaning equipment, parts and supplies, plus specialty coatings. For over 150 years, we have changed the way customers clean – and consistently raised expectations for cleaning performance. We invest in research and development that delivers new levels of cleaning efficiency and effectiveness. We develop sustainable cleaning technologies that help to create a cleaner, safer, healthier world. For leading solutions in cleaning, look to the industry leader: Tennant Company.

Table of Contents

05	Innovations
06	Scrubbers
12	Rider-Scrubbers
18	Scrubber-Sweepers
21	Sweepers
27	Floor Machines & Burnishers
30	Carpet Extractors
34	Vacuums
38	Specialty Machines
40	TennantTrue®

Innovations

Changing How the World Cleans



- 1. ec-H₂O™ Technology** electrically converts water into an innovative cleaning solution that cleans effectively, saves money, improves safety, and reduces environmental impact* compared to daily cleaning floor chemicals and methods.
- 2. ec-H₂O NanoClean® Technology** is the next generation of detergent-free cleaning that cleans effectively on a wider range of soils, saves money, and reduces environmental impact compared to daily floor cleaning chemicals.
- 3. ReadySpace® Rapid-Drying Carpet Cleaning Technology** provides fresh, clean carpets in minutes to reduce room and carpet area closure times.
- 4. Extended Scrubbing® (ES) Technology** recycles cleaning solutions to extend scrubbing time resulting in extended scrubbing uptime and improved productivity.
- 5. IRIS® Asset Manager** offers intelligent insights and key performance metrics to help manage and monitor your machines and make informed decisions to drive your cleaning operations forward.

Robotic Scrubbers



X4 ROVR

WALK-BEHIND SCRUBBER

Applications

Hard floors found in smaller retail, education and healthcare settings.

Model Highlights

- Clean smaller areas and more area with minimal disruptions.
- Detects blocked route, automatically adjusts to avoid blocked area and continues route.
- Excellent localization & 3D environmental perception.
- Give employees a reliable partner increasing autonomous scrubbing.
- Productivity with minimal oversight.

Cleaning Path: dual disk: 20 in / 500 mm
Coverage Rate: 20,000 ft² / 1,860 m²
Solution | Recovery Tank: 10 gal / 37.8 L
Power Source: Lithium-Ion battery
Run Time: up to 2.5 hours



T380 AMR

RIDER SCRUBBER

Applications

Hard floors found in retail, education, healthcare and public settings.

Model Highlights

- Specifically designed for robotics, this AMR product provides maximum productivity with 20" deck size and 20 gallon solution tanks.
- Highly maneuverable robotic scrubber for areas that require tighter turns.
- Delivers best-in-class cleaning performance with up to 90 lbs of down pressure and excellent water recovery with squeegee located directly behind scrub deck.

Cleaning Path: disk: 20 in / 500 mm
Coverage Rate: manual: 33,440 ft² / 3,106 m²
Solution | Recovery Tank: 20 gal / 75 L
Power Source: Flooded Lead Acid | Lithium-Ion
Run Time: up to 4 hours



T7 AMR

RIDER SCRUBBER

Applications

Hard floors surfaces often found in retail, healthcare, airports, schools, and light duty warehousing and manufacturing.

Model Highlights

- Address labor challenges, drive efficiencies and maintain a high standard of cleaning.
- Teach and repeat model ensures consistent cleaning performance.
- Leverage data to optimize your cleaning operations.

Cleaning Path: Disk: 26 in / 650 mm

Coverage Rate:

manual: 45,760 ft² / 4,250 m² | autonomous: 28,600 ft² / 2,660 m²

Solution | Recovery Tank: 29 gal / 110 L

Sound level: disk: 70 dBA

Power Source: Flooded Lead Acid | Lithium-Ion

Run Time: up to 4 hours | up to 6.5 hours



T16 AMR

RIDER SCRUBBER

Applications

Hard floors found in large spaces like warehouses, manufacturing, and third party logistics facilities.

Model Highlights

- Engineered for autonomous cleaning, increasing safety and maximizing productivity.
- Reduce detergent usage and use less water, both saving you money and minimizing your environmental impact, with ec-H2O NanoClean® technology.
- Clean thoroughly in a single pass with a cylindrical scrub head and high-performance vacuum system.

Cleaning Path: 36 in / 910 mm

Solution | Recovery Tank: 50 gal / 190 L | 60 gal / 225 L

Power Source: Flooded Lead Acid | Lithium-Ion

Run Time: up to 4 hours | up to 5.4 hours

Walk-Behind Scrubbers

Dependable, long-lasting solutions for all your floor care need



CS5

MICRO-SCRUBBER

Applications

Hard floors found in small buildings such as convenience stores and restaurants and small spaces in big buildings like patient rooms, restrooms and classrooms.

Model Highlights

- The small size and portable design make it as convenient as a mop and bucket, but it cleans and dries faster.
- Powered by a lightweight and compact lithium battery.
- Reverse dry system eliminates the need to turn allowing for cleaning in tight spaces.

Cleaning Path: 11 in / 280 mm
Solution | Recovery Tank: 1.3 gal / 5 L
Sound Level: 63 dBA
Power Source: battery



CS16

WALK-BEHIND MICRO-SCRUBBER

Applications

Hard floors in buildings that have smaller spaces, potentially with obstructions, such as, restaurants, restrooms, lobby area, classrooms and more.

Model Highlights

- Robust construction in a compact scrubber with easy-to-use pad assist or self-propel operation
- Avoid kneeling to put the brush on, with hands-free brush replacement with spin-on, spin-off feature.
- Intuitive control panel with Eco mode for reduced noise levels.

Cleaning Path: 13.8 in / 350 mm
Solution | Recovery Tank: 3.9 gal / 15 L | 4.4 gal / 16.5 L
Sound Level=: 68 dBA | 66 dBA (eco mode)
Power Source: battery



i-mop[®] Lite

MICRO-SCRUBBER

Applications

Hard floors in small, obstructed spaces such as restrooms, restaurants, office buildings, retail and health care.

Model Highlights

- Lightweight with a minimal footprint and 360 degree movement to easily clean in tight spaces.
- Intuitive controls makes training and use easy.
- Achieve up to 90% cleaner surfaces by utilizing the powerful twin counter-rotating 500 RPM brushes.

Cleaning Path: 14.5 in / 368 mm
Solution | Recovery Tank: .79 gal / 3 L | 1.06 gal / 4 L
Power Source: battery



i-mop[®] XL/XXL Plus

MICRO-SCRUBBER

Applications

Hard floors in small, obstructed spaces often found in retail, restaurants, health care, public venues, and schools.

Model Highlights

- Performance of a scrubber with the mobility of a mop.
- Reduce labor costs - up to 10 times faster than a mop & bucket.
- Leave nearly instantaneous dry floors with water recovery.

Cleaning Path: i-mop XL: 18 in / 460 mm | i-mop XXL: 24 in / 620mm
Solution | Recovery Tank: i-mop XL: 1.0 gal / 4.0 L | 1.5 gal / 6.0 L
i-mop XXL: 1.25 gal / 5.0 L | 2.0 gal / 8.0 L
Power Source: battery



T1/T1B

MICRO SCRUBBERS

Applications

Hard floors often found in retail, health care, hospitality, airports, and schools.

Model Highlights

- Clean small, tight, hard-to-reach spaces with compact, maneuverable rugged design.
- Reduce operator fatigue and improve productivity with Insta-Adjust™ ergonomic handle.
- Reduce risk of slip-and-fall accidents with excellent water recovery.

Cleaning Path: 15 in / 380 mm

Solution | Recovery Tank:

corded – 3.0 gal / 11.4 L | 4.5 gal / 17.0 L

battery – 2.5 gal / 9.5 L | 3.4 gal / 12.9 L

Sound Level: T1 – 72 dBA | T1B – 68 dBA

Power Source: corded | battery



T2

WALK-BEHIND SCRUBBER

Applications

Hard floors often found in retail, health care, hospitality, airports, and schools.

Model Highlights

- Experience Tennant performance while maintaining your budget to clean small, congested spaces easily.
- Deliver outstanding cleaning and floor safety with the 1.0 hp / 0.75 kW brush motor and water recovery.
- Unique storage and transport features make this scrubber perfect for small areas and route cleaning.

Cleaning Path: 17 in / 430 mm

Solution | Recovery Tank: 7.0 gal / 26 L | 9.5 gal / 36 L

Sound Level: 68 dBA

Power source: battery



T260

WALK-BEHIND SCRUBBER

Applications

Ideal for cleaning small, congested areas with hard floors found in retail stores and schools.

Model Highlights

- Clean small, congested areas with a compact, easy-to-manuever design allowing operators high viability.
- Simple-to-use controls reduce operator training time.
- Simplify daily maintenance with a large recovery tank opening, enabling full access and visibility.

Cleaning Path: 20 in / 500 mm
Solution | Recovery Tank: 10.5 gal / 40 L
Sound Level: 72 dBA
Power Source: battery



T290

WALK-BEHIND SCRUBBER

Applications

Ideal for cleaning small, congested areas with hard floors found in retail stores and schools.

Model Highlights

- A compact scrubber with easy-to-use pad assist or self-propel configuration.
- Avoid kneeling to put the brush on, with hands-free brush replacement with spin-on, spin-off feature.
- Yellow touch points help reduce breakdowns by simplifying preventative maintenance.

Cleaning Path: 20 in / 510 mm
Solution | Recovery Tank: 10.5 gal / 40 L | 13 gal / 50 L
Sound Level: 74 dBA
Power Source: battery



T300/T300e

WALK-BEHIND SCRUBBER

Applications

Hard floors often found in retail, health care, hospitality, airports, and schools.

Model Highlights

- Delivering high performance, consistent results for virtually any hard surface condition while lowering cleaning costs.
- Offers multiple machine head types to fit your cleaning applications and optimize cleaning performance for specific areas – single disk, dual disk, dual cylindrical, and orbital.
- Improved and durable components extend machine life and reduce cost of ownership.
- Available with ec-H2O NanoClean® technology.

Cleaning Path: 17, 20, 24 in / 430, 500, 600 mm
 Solution | Recovery Tank: 11 gal / 42 L | 14 gal / 53 L
 Sound Level: single disk – 64.9/67 dBA | dual disk 66.5/67.7 dBA |
 cylindrical – 65.6/68.7 dBA | orbital – 66.4/67.5 dBA
 Power Source: battery



T390

WALK-BEHIND SCRUBBER

Applications

Ideal for medium sized spaces with hard floors found in schools, hospitals and retail stores.

Model Highlights

- Scrub deck made out of tough steel material, with roller guide wheels to protect the facility.
- Increase productivity with the dual disk cleaning path while still having the maneuverability of a mid-size scrubber.
- Yellow touch points help reduce breakdowns by simplifying preventative maintenance.

Cleaning Path: 28 in / 710 mm
 Solution | Recovery Tank: 18.5 gal / 70 L | 20 gal / 75 L
 Sound Level: 73 dBA
 Power Source: battery



T391

WALK-BEHIND SCRUBBER

Applications

Hard floors often found in retail, health care, hospitality, airports, and schools.

Model Highlights

- Maximize operator comfort with great maneuverability and adjustable controls.
- Optimize cleaning performance and efficiency with self-leveling scrub head and self-propel drive.
- Get more cleaning done compared to smaller scrubbers with wide scrub path and large solution tank capacity.

Cleaning Path: 28, 32 in / 700, 800 mm
Solution | Recovery Tank: 18.5 gal / 70 L
Sound Level: 56 dBA
Power Source: battery



T500/T500e

WALK-BEHIND SCRUBBER

Applications

Hard and decorative floors often found in retail, health care, hospitality, airports, schools, and light industrial facilities.

Model Highlights

- Exclusive Smart-Fill™ automatic battery watering technology makes battery maintenance safe by removing the task of checking, opening, and filling flooded batteries.
- Deliver predictable results, extend machine life, and reduce cost of ownership with an innovative suite of technologies.
- Improved and durable components extend machine life and reduce cost of ownership.
- Available with ec-H2O NanoClean® technology.

Cleaning Path: disk – 26, 28, 32 in / 650, 700, 800 mm |
orbital/cylindrical – 28 in / 700 mm
Solution | Recovery Tank: 22.5 gal / 85 L | 27 gal / 102 L
Sound Level: disk – 66.5/67.4 dBA | orbital – 67.0/ 68.3 dBA |
cylindrical – 66.4/66.9 dBA
Power Source: battery



T600/T600e

WALK-BEHIND SCRUBBER

Applications

Hard and decorative floors often found in retail, healthcare, education, hospitality, offices, logistics and manufacturing.

Model Highlights

- Scrub longer between empty and fill cycles with large-capacity solution and recovery tanks.
- Clean a variety of surfaces with a wide range of cleaning head options.
- Smart-Fill™ automatic battery watering system offers virtually worry-free battery maintenance.
- Available with ec-H2O NanoClean® technology.

Cleaning Path: 28, 32 or 36 in / 700, 800 or 900 mm

Solution | Recovery Tank: 32 gal / 121 L | 37 gal / 140 L

Sound Level: dual disk – 62.2/69.5 dBA | cylindrical – 62.2/69.2 dBA | orbital – 62.3/69.5 dBA

Power Source: battery

Ride-On Scrubbers

Trust Tennant scrubbers to deliver a reliable, lasting clean



T350

STAND-ON SCRUBBER

Applications

Hard floors often found in retail, health care, and schools.

Model Highlights

- Best-in-class productivity rates deliver cost savings without sacrificing performance.
- Highly maneuverable stand-on model features durable ergonomics designed for a standing operator along with easy-to-use controls.
- Ensure consistent results with programmable Zone Settings™ that reduce dependence on operator set-up for different surfaces and areas.

Cleaning Path: 20 or 24 in / 500 or 600 mm
Solution | Recovery Tank: 14.1 gal / 53 L | 18.4 gal / 70 L
Sound Level: single disk: 59.7 to 63.7 dBA | dual disk: 61.3 to 64.5 dBA
Power Source: battery



T581

MICRO-RIDER SCRUBBER

Applications

Cleaning large spaces with hard floors in areas such as retail stores, hospitals and schools.

Model Highlights

- Compact design easily fits into most congested spaces, and can quickly reach many areas of a facility to get more cleaning done.
- Ease of start-up and quick training with one-button cleaning operation that lowers the scrub head and squeegee at the same time.
- Increase run-times by nearly 20% with ECO mode that decreases battery consumption during operation.

Cleaning Path: 20 in / 510 mm
Solution | Recovery Tank: 20 gal / 78.5 L | 21 gal / 80 L
Sound Level: 65 dBA
Power Source: battery



T681

RIDER SCRUBBER

Applications

Hard floors found in retail, education, healthcare, and hospitality.

Model Highlights

- Small yet highly maneuverable dual disk ride-on scrubber.
- Simple operation with adjustable cleaning settings with large easy-to-use control panel.
- Effectively clean across different surface levels with automatic scrub head level adjustment.
- Ensure consistent and correct chemical usage with integrated chemical dosing system for continuous operation and cost savings
- Enhance facility image and safety by recovering more water with high-performance 3-stage vacuum motor.

Cleaning Path: 32 in / 800 mm

Solution | Recovery Tank: 26.4 gal / 100 L | 29 gal / 110L

Sound Level: 75 dBA

Power Source: battery



T7

RIDER SCRUBBER

Applications

Decorative floors often found in retail, health care, hospitality, airports, schools, and light industrial facilities.

Model Highlights

- Small-rider T7 delivers advanced cleanliness at a sound level 75% quieter than competitive models.
- Nimble enough to scrub through doorways, and compact enough to fit on standard elevators.
- Available with HEPA filtration and with onboard vacuum wand.

Cleaning Path:

disk: 26 and 32 in / 660 and 810 mm

cylindrical: 28 and 32 in / 710 and 810 mm

Solution | Recovery Tank: 29 gal / 110 L

Sound level: disk: 67 dBA | cylindrical: 69 dBA

Power Source: battery



T981

RIDER SCRUBBER

Applications

Hard floors found in logistics, retail, light industry.

Model Highlights

- Three preset scrubbing operation programs for quick start-up & ease of training.
- Available in both disk and cylindrical scrub heads, customers choose the scrub head that is best suited for their floor application.
- Easy Spin-on/spin-off brushes on Disk model simplify brush changeout without bending.
- Standard sweeping side brushes on cylindrical model over
- Recover more water with high-performance 3-stage vacuum motor.
- Reduce maintenance time by easily accessing service areas with removeable panels.

Cleaning Path: 30 in / 75 cm (cylindrical) | 36 in / 90 cm (disk)

Solution | Recovery Tank: 33 gal / 125 L | 35.6 gal / 135 L

Sound Level: 72 dBA

Power Source: battery



T12

COMPACT RIDER SCRUBBER

Applications

Hard and decorative floors often found in retail, health care, hospitality, airports, schools, and industrial facilities.

Model Highlights

- Highly maneuverable T12 can reach tight spaces with its smaller, compact footprint and tight turning radius.
- The battery powered rider scrubber combines innovative features and substantial power to help reduce time spent cleaning and provide heavy-duty compact performance.

Cleaning Path: 32 in / 810 mm

Solution | Recovery Tank: 35 gal / 132 L | 44 gal / 166 L

Sound Level: 63 dBA

Power Source: battery



T16

RIDER SCRUBBER

Applications

Dried liquid, grease and grime often found in distribution and storage facilities, food & beverage plants, and malls.

Model Highlights

- Achieve a lower cost of ownership with Tennant's quality construction and innovative technologies.
- Clean anytime, anywhere with sound levels at 68 dBA.
- Enhance productivity and safety with an user-friendly design and Touch-n-Go™ controls from the steering wheel.
- Available with a variety of solution technologies to match different applications such as conventional, conventional with detergent metering, ec-H2O® with Severe Environment capability and ES® recycling with detergent metering.

Cleaning Path: 36 in / 910 mm | 45 in / 1,145 mm with side brush
 Solution | Recovery Tank: 50 gal / 190 L | 60 gal / 225 L
 Sound Level: 68 dBA
 Power Source: battery



T17

SCRUBBER

Applications

An innovative high-performance, heavy-duty battery rider scrubber for the toughest cleaning needs.

Model Highlights

- Clean 7-8 hour shift in economy mode, on a single charge, with the largest available battery capacity in its class.
- Reduce slips and falls with water recovery system that leaves floors virtually dry.
- Engineered for easy operator and maintenance experience.
- Maintain clean indoor air quality with large capacity battery power source.

Cleaning Path: 40 in / 1,015 mm
 Solution | Recovery Tank: 50 gal / 190 L | 60 gal / 225 L
 Sound Level: 68 dBA
 Power Source: battery



T20

SCRUBBER

Applications

Heavy grease and grime found in large warehouses, factories, municipalities, and parking ramps.

Model Highlights

- Achieve excellent cleaning results with aggressive scrubbing and MaxPro2™ hydraulic technology.
- Maximize productivity with ec-H2O® technology for cleaning up to three times longer than conventional scrubbing.
- Improve operator visibility with steering-wheel-mounted controls.
- Available with a variety of solution technologies to match different applications such as conventional, conventional with detergent metering, ec-H2O® and ES® recycling with detergent metering.

Cleaning Path: 40 in / 1,020 mm

Solution | Recovery Tank: 80 gal / 303 L | 95 gal / 360 L

Power Source: gasoline, LPG, diesel

Scrubber-Sweepers

Boost productivity with double-duty models that deliver excellent sweeping and scrubbing performance in one machine



M17

SWEEPER-SCRUBBER

Applications

Heavy manufacturing and warehousing environments desiring exhaust-fume-free battery operation for anytime cleaning.

Model Highlights

- Effectively clean in one pass with exceptional sweeping and scrubbing performance.
- Maintain indoor air quality with high capacity batteries and two-stage dust control system.
- Large battery capacity options extend runtime for increased productivity.
- Improve operator visibility with steering-wheel-mounted controls.
- Available with a variety of solution technologies to match different applications such as conventional, conventional with detergent metering, ec-H₂O® with Severe Environment capability and ES® recycling with detergent metering.

Cleaning Path: 40, 48 in / 1,015, 1,220 mm
Solution | Recovery Tank: 75 gal / 285 L | 91.1 gal / 346 L
Hopper Capacity: 3 ft³ / 85 L | 300 lb / 136 kg
Power Source: battery



M20

SWEeper-SCRUBBER

Applications

Medium to heavy dirt, sand, bulky litter and broken glass often found at indoor/outdoor industrial facilities, schools, plazas, and municipalities.

Model Highlights

- Effectively clean in just one pass with FloorSmart® integrated cleaning system technology.
- Achieve excellent cleaning results with ec-H2O™ technology and MaxPro²™ hydraulic technology.
- Improve operator visibility with steering-wheel-mounted controls.
- Available with a variety of solution technologies to match different applications such as conventional, conventional with detergent metering, ec-H2O® and ES® recycling with detergent metering.

Cleaning Path: 40 in / 1,020 mm

Solution | Recovery Tank: 56 gal / 212 L | 73 gal / 276 L

Hopper Capacity: 3.9 ft³ / 110 L | 390 lb / 177 kg

Power Source: gasoline, diesel, LPG



M30

SWEeper-SCRUBBER

Applications

Bulky debris, steel powder, pellets, rocks, and glass often found in harsh industrial and manufacturing environments.

Model Highlights

- Effectively clean in just one pass with FloorSmart® integrated cleaning system technology.
- Achieve excellent cleaning results with ec-H2O™ technology and MaxPro²™ hydraulic technology.
- Improve operator visibility with steering-wheel-mounted controls.

Cleaning Path: 48 in / 1,220 mm

Solution | Recovery Tank: 75 gal / 284 L | 95 gal / 360 L

Hopper Capacity: 7 ft³ / 198 L | 650 lb / 295 kg

Power Source: gasoline, diesel, LPG

Sweepers

Control dust and debris with a Tennant indoor or outdoor floor cleaning machine.



S6

BATTERY SWEEPER

Applications

Clean both hard floors and carpeted spaces with the versatile, quiet and efficient S6 walk-behind battery-operated sweeper.

Model Highlights

- Automatically adjusting main brush allows ease of operation between hard or soft floor surfaces.
- Auto timed filter shake feature initiates every 3 minutes or can be engaged at any time from the console.
- Unit has two sweeping modes – one for light debris collection and another for heavy debris selection.

Cleaning Path: 25 in / 635 mm
Hopper Capacity: 1.25 ft³ / 35 L
Sound Level: 61 dBA
Power Source: battery



S7

BATTERY SWEEPER

Applications

Clean both hard floors and carpeted spaces with the versatile, quiet and efficient S7 walk-behind battery-operated sweeper.

Model Highlights

- Transaxle drive unit promotes operator ease of use.
- Flap trap lever allows for pick up of bulkier items.
- Breathe easy as 99.5% filtration up to 5 microns.

Cleaning Path: 28 in / 700 mm
Hopper Capacity: 1.6 ft³ / 45 L
Sound Level: 70 dBA
Power Source: battery



S680

COMPACT BATTERY RIDE-ON SWEEPER

Applications

Effectively clean in tight spaces and large openings within light- to medium-duty applications with this simple-to-use and highly maneuverable, compact ride-on sweeper.

Model Highlights

- Easily reach many areas of the facility with a compact design offering a tight turning radius and front-wheel steering.
- Clean a variety of hard and carpeted floors with non-marking materials and a self-leveling main brush that automatically adapts to surfaces.
- Ensure successful operation and simplify operator training with easy-to-use controls featuring pre-programmed working settings.

Cleaning Path: 25.6 in / 650 mm (main sweeping system) |
42 in / 1,050 mm (with side brushes)

Hopper Capacity: 2.5 ft³ / 70 L

Power Source: battery



S880

COMPACT BATTERY RIDE-ON SWEEPER

Applications

Effectively clean a variety of light- to medium-duty indoor and outdoor environments with a highly productive, compact sweeper that is easy to operate and maintain.

Model Highlights

- Simplify operation with intuitive controls and eliminate manual lifting and emptying of debris with the featured high-dump hopper.
- Large hopper capacity and a wide sweep path enable operators to clean longer without interruptions.
- Dual side brushes effectively clean edges, while a powerful vacuum with efficient dust filtration provides excellent sweeping performance in a variety of applications.

Cleaning Path: 26.8 in / 680 mm (main sweeping system) |
48 in / 1,200 mm (with side brushes)

Hopper Capacity: 2.4 ft³ / 67 L

Power Source: battery



6100

SUB-COMPACT SWEEPER

Applications

Light dirt and paper litter often found indoors, in malls, and on carpets.

Model Highlights

- Compact design fits through most doors, onto elevators and in tight industrial environments.
- Sweeps surfaces from smooth concrete to finished floors, even carpets.
- Non-corrosive hopper with replaceable steel skidplate delivers outstanding durability.
- Available with HEPA filtration and with onboard vacuum wand

Cleaning Path: single side brush: 30 in / 760 mm |
dual side brush: 38 in / 970 mm
Hopper Capacity: 3 ft³ / 85 L
Power Source: battery



3640

SWEEPER

Applications

Preferred sweepers in light industrial facilities.

Model Highlights

- Robust walk-behind picks up debris from sand to litter, indoors and out.
- Available in battery power platform only with dust-controlling filter systems.

Cleaning Path: 32 in / 810 mm
Hopper Capacity: 3 ft³ / 85 L
Sound Level: 70 dBA
Power Source: battery



S10

INDUSTRIAL SWEEPER

Applications

Preferred sweeper in medium to heavy industrial facilities.

Model Highlights

- Best-in-class walk-behind sweeps tight and open areas.
- Increase uptime with the largest hopper of any walk-behind sweeper (contains up to 150 lbs / 68 kg of debris).
- Available with HEPA filtration.

Cleaning Path: 34 in / 860 mm
Hopper Capacity: 2.8 ft³ / 79 L
Sound Level: 73 dBA
Power Source: battery



S16

COMPACT BATTERY-POWERED RIDE-ON SWEEPER

Applications

Light dirt, sand and paper litter often found in light industrial facilities, warehouses, convention centers, and airports.

Model Highlights

- Providing big productivity and versatility in a battery-powered compact ride-on sweeper, the S16 delivers exceptional sweeping performance across a variety of surfaces and debris types including hard and soft floors.
- Achieve impressive dust control with a multi-stage filtration system and maintain air quality with fume-free operation.
- Available in either a powered high-dump configuration or manual low-dump configuration to effectively manage swept debris.

Cleaning Path:
single brush: 46 in / 1,170 mm | dual side brush: 60 in / 1,520 mm
Hopper Capacity: 5.3 ft³ / 150 L
Power Source: battery



S20

COMPACT MID-SIZE SWEEPER

Applications

Medium dirt, sand and paper litter often found in light industrial facilities, malls, and warehouses.

Model Highlights

- Picks up everything from dust and sand to broken glass and litter, even, in narrow aisles and congested areas
- Engineered with focus on safety for the operator and the environment.
- Compact size provides maneuverability.
- Available with HEPA filtration and Dry Dust Control or WaterShield™ Dust Control.

Cleaning Path:

single side brush: 50 in / 1,270 mm | dual side brush: 62 in / 1,575 mm

Hopper Capacity: 11.25 ft³ / 319 L

Power Source: battery, gasoline, diesel, LPG



S30

MID-SIZE SWEEPER

Applications

Heavy dirt, bulky litter and broken glass often found in industrial facilities, warehouses, parking decks, and municipalities.

Model Highlights

- Provide excellent indoor and outdoor dust control with the SweepMax Plus system.
- Available with HEPA Filtration with Dry Dust Control or WaterShield™ Dust Control to ensure a healthy and safe environment.
- Deliver easy operation and maintenance while running at peak performance.

Cleaning Path:

single side brush: 62.5 in / 1,590 mm | dual side brush: 80 in / 2,032 mm

Hopper Capacity: 14 ft³ / 395 L

Power source: gasoline, diesel, LPG



800

INDUSTRIAL SWEEPER

Applications

Bulky debris, steel powder, pellets, rocks, and glass often found in harsh industrial and manufacturing environments.

Model Highlights

- Withstands heavy use in severe environments with a massive steel frame T-beam and bumpers.
- Sweeps as much as 200,000 ft² / 18,600 m² in one hour and collects up to 2000 lb / 907 kg of debris in a single hopper load.
- Available with HEPA Filtration with Dry Dust Control or WaterShield™ Dust Control to ensure a healthy and safe environment.

Cleaning Path: single side brush 66 in / 1,675 mm | dual side brush 82 in / 2,080 mm

Hopper Capacity: 30 ft³ / 850 L

Power Source: gasoline, diesel, LPG

Floor Machines/Burnishers

Get excellent gloss performance with tennant's high-speed burnishers



FM-20-SS/20-DS

FLOOR MACHINES

Applications

Floor machines to scrub and buff a variety of floor types.

Model Highlights

- Powerful polishing, scrubbing, and stripping from hard-working floor machines quiet enough for use in schools, offices and hospitals.

Cleaning Path: 17, 20 in / 430, 510 mm
Pad Speed: 175, 185/330 rpm
Sound Level: 60-70 dBA
Power Source: corded



BR-1600-NDC

BURNISHER

Applications

Burnishers to polish a wide range of hard floor types.

Model Highlights

- Versatile, high-speed corded burnisher delivers excellent gloss performance on a variety of finished floors.

Cleaning Path: 20 in / 510 mm
Pad Speed: 1,600 rpm
Sound Level: 70 dBA
Power Source: corded



BR-2000-DC

BURNISHER

Applications

Burnishers to polish a wide range of hard floor types.

Model Highlights

- Ultra high-speed burnishing delivers an outstanding shine while controlling dust.
- Extremely smooth and quiet operation in a durable model that withstands years of use.

Cleaning Path: 20 in / 510 mm
Pad Speed: 2,000 rpm
Sound Level: 66 dBA
Power Source: corded



B5/B7

BURNISHERS

Applications

Burnishers to polish a wide range of hard floor types.

Model Highlights

- High performance, propane-like gloss results without fumes and propane tank storage costs or concerns.
- Innovative 90 degree flip up head design enables a safe ergonomic position when changing pad
- Active filtration with HEPA standard maintains indoor air quality.

Cleaning Path: 20 in / 510 mm (B5) | 24 in / 610 mm & 27 in / 690 mm (B7)
Pad Speed: 2,100 rpm (B5) | 1,875 rpm (B7)
Sound Level: active 63-64 dBA | passive 65 dBA
Power Source: battery



B10

BURNISHER

Applications

Burnishers to polish a wide range of hard floor types.

Model Highlights

- Rider burnisher accommodates large areas quickly and easily with 20% more horsepower than the leading competitor for bright, shiny floors.
- Active 4-stage HEPA filtration dust control system improves indoor environmental quality.

Cleaning Path: 24 in / 610 mm | 27 in / 686 mm

Pad Speed: 1,500 – 1,600 RPM

Sound Level: 69 dBA

Power Source: battery

Carpet Extractors

Outstanding carpet cleaning results from reliable machines



EX-SC-1020

SELF-CONTAINED EXTRACTOR

Applications

Compact, low-profile carpet cleaner.

Model Highlights

- Get beautifully clean carpets with a walk-behind extractor that meets carpet-cleaning needs.
- This unit moves easily with its low center of gravity bladder system that maximizes solution/recovery capacity.

Cleaning Path: 12 in / 305 mm to 20 in / 508 mm
Solution | Recovery Tank: 4-10 gal / 15-38 L | 4-14.5 gal / 15-55 L
Water Lift: 92 in / 2,340 mm to 136 in / 3,450
Power Source: corded



E5

DEEP CLEANING EXTRACTOR

Applications

Compact, low-profile carpet cleaners.

Model Highlights

- Clean small, tight, hard-to-reach spaces with compact, maneuverable design.
- Fill and empty tanks almost anywhere with ergonomic lift off design.
- Free floating brush automatically adjusts to different carpet pile heights.

Cleaning Path: 15 in / 380 mm
Solution | Recovery Tank: 5 gal / 19 L
Water Lift: 86 in / 2,180 mm
Sound Level: 69 dBA
Power Source: corded



R3

CARPET CLEANER

Applications

Compact, low-profile carpet cleaners.

Model Highlights

- Turn congested areas quickly with ReadySpace® technology.
- The ability to frequently clean keeps high traffic areas clean and can help delay deep extraction.
- Ergonomic features and easy to use controls make the unit ideal for operators.

Cleaning Path: 15 in / 380 mm
Solution | Recovery Tank: 5 gal / 19 L
Water Lift: 86 in / 2,180 mm
Sound Level: 69 dBA
Power Source: corded



1510/1530

DEEP CLEANING EXTRACTOR

Applications

Extraction in medium to large lobbies, hallways and meeting rooms.

Model Highlights

- Large solution tanks and worry-free one-button operation.
- One machine gives both interim surface cleaning and deep cleaning modes.
- Available in battery or cord electric.

Cleaning Path: 22 in / 560 mm
Solution | Recovery Tank: 1510 - 21 gal / 79 L | 21 gal / 79 L,
1530 - 30 gal / 114 L | 21 gal / 79 L
Water Lift: 1510 (2) - 68 in / 1,730 mm vac motors, | 530 - 117 in / 2970 mm
Sound Level: 72 dBA
Power Source: 1510 - battery | 1530 - corded



1610

DUAL TECHNOLOGY EXTRACTOR

Applications

Clean in time sensitive applications with ReadySpace®, or achieve maximum soil removal with periodic deep extraction.

Model Highlights

- Dual technologies provide maximum power and flexibility to tackle the challenges of ongoing carpet maintenance.
- Create beautiful carpets in minutes with ReadySpace technology, or remove deeply-embedded dirt with deep extraction.

Cleaning Path: 22 in / 560 mm
Solution | Recovery Tank: 21 gal / 79 L | 21 gal / 79 L
Water Lift: 120 in / 3,050 mm
Sound Level: 72 dBA
Power Source: battery



EH5

CANISTER EXTRACTOR

Applications

Carpet extraction high-traffic areas.

Model Highlights

- Maximize cleaning performance and water recovery with the cleaning wand.
- Adjustable heat and pressure levels allows you to customize your cleaning operation based on soil and carpet type allowing for a wider range of cleaning possibilities.

Solution | Recovery Tank: 15 gal / 57 L | 13.5 gal / 51 L
Water Lift: 155 in / 3937 mm
Sound Level: >68 dBA
Power Source: corded



EC2

CANISTER EXTRACTOR

Applications

Carpet extraction high-traffic areas.

Model Highlights

- Durable rotomolded design and warranty hold up to the toughest operators and environments.
- Save time and money by maximizing cleaning productivity utilizing E-series innovative onboard cord, wand, hose, and bottle management system.

Solution | Recovery Tank: 15 gal / 57 L | 13.5 gal / 51 L
 Water Lift: 137 in / 3,480 mm
 Sound Level: >70 dBA | 75 dBA
 Power Source: corded



R14

DUAL TECHNOLOGY EXTRACTOR

Applications

Clean in time sensitive applications with ReadySpace, or achieve maximum soil removal with periodic deep extraction.

Model Highlights

- Versatile dual-technology carpet cleaning from a single rider machine.
- Create beautiful carpets in minutes with ReadySpace technology, or remove deeply-embedded dirt with deep extraction.

Cleaning Path: 28 in / 710 mm
 Solution | Recovery Tank: 32 gal / 121 L | 28 gal / 106 L
 Water Lift: 70.5 in / 1,790 mm
 Sound Level: 73 dBA
 Power Source: battery

Vacuums

Versatile heavy-duty upright vacuums for everyday use



V-BP-6/V-BP-6B

CORDED & BATTERY BACKPACK VACUUMS

Applications

Cleans in small to large areas such as spaces found in offices, healthcare, schools, military installations, and prisons.

Model Highlights

- Improve productivity, efficiency, and comfort with ergonomic Deuter® hiking harness and new tool options.
- Three new tool kit options, including the premium Sidewinder® tool kit, suit a variety of cleaning needs.
- Certified CRI Gold rating (corded) and CRI Silver rating (battery).

Cleaning Path: 9.5 in / 240 mm | 14 in / 356 mm
Vacuum Bag: corded: 5.2 qt / 4.9 L | 9.2 qt / 8.7 L | battery: 6 qt / 5.7 L
Motor: corded: 1.6 hp/1.2 kW each | battery: .6 hp/.41 kW
Sound Level: corded: 67 dBA | battery: 63 dBA
Power Source: corded | battery



V-CAN-10

DRY CANISTER VACUUM

Applications

Cleans a wide range of environments on carpets and hard floors. Designed for offices, stores, hotels, restaurants and other similar environments.

Model Highlights

- Standard 3-stage filtration provided to clean floors while maintaining good air quality.
- Quiet performance, engineered so that floors can be cleaned without disrupting work nearby.
- Construction with up to 55% recycled plastic.

Cleaning Path: 13 in / 330 mm
Tank Capacity: 2.6 gal / 10 L
Power: 700 watts
Power Source: battery



V-CAN-12

DRY CANISTER VACUUM

Applications

Cleans a wide range of environments on carpets and hard floors. Designed for offices, stores, hotels, restaurants and other similar environments.

Model Highlights

- Standard 3-stage filtration provided to clean floors while maintaining good air quality.
- Quiet performance, engineered so that floors can be cleaned without disrupting work nearby.
- Construction with up to 55% recycled plastic.

Cleaning Path: 13 in / 330 mm
Tank Capacity: 3.2 gal / 12 L
Power: 840-900 watts
Power Source: battery



V-CAN-16

DRY CANISTER VACUUM

Applications

Cleans a wide range of environments on carpets and hard floors. Designed for offices, stores, hotels, restaurants and other similar environments.

Model Highlights

- Standard 3-stage filtration provided to clean floors while maintaining good air quality.
- Quiet performance, engineered so that floors can be cleaned without disrupting work nearby.
- Construction with up to 55% recycled plastic.

Cleaning Path: 13 in / 330 mm
Tank Capacity: 4.2 gal / 16L
Power: 840-900 watts
Power Source: battery



V-DMU-14/V-SMU-14

DUAL & SINGLE MOTOR UPRIGHT VACUUMS

Applications

Cleans in tight areas as well as in hallways, hotel meeting rooms and lobbies.

Model Highlights

- Maintain air quality with standard HEPA 3-stage filtration and clean noise-sensitive areas with low 70 dBA sound level.
- Increase productivity and cleaning coverage with onboard crevice and upholstery tools.
- LEED qualifying with Certified CRI Silver rating.

Cleaning Path: 14.75 in / 370 mm
Vacuum Bag: 3.8 qt / 3.6 L
Motor: 1.6 hp / 1.19 kW
Sound Level: <70 dBA
Power Source: corded



V-WD-9

WET-DRY VACUUM

Applications

Designed for cleaning specialists, such as contract cleaners, cleaning companies and schools.

Model Highlights

- Vacuum oily or chemical residues effectively with an innovative head gasket that provides a strong seal.
- Use with confidence even in challenging conditions with the shock-proof tank and flexible hooks.
- Help users work without undue strain with ergonomic features, including carrying handle and swivel wheels.

Cleaning Path: 16 in / 405 mm
Tank Capacity: gross volume: 9 gal / 35 L | water volume: 6.6 gal / 25 L
Sound Level: 72 dBA
Power Source: corded



V-WD-24/24P

WET-DRY VACUUM

Applications

Designed for cleaning specialists, such as contract cleaners, cleaning companies and schools. Works well for floor stripping cleanup or flooded conditions.

Model Highlights

- Vacuum oily or chemical residues effectively with an innovative head gasket that provides a strong seal.
- Use with confidence even in challenging conditions with the shock-proof tank and flexible hooks.
- Multiple configurations to suit cleaning needs – standard or flood pump models with optional front mount squeegee and accessories.

Cleaning Path: 18 in / 460 mm

Tank Capacity: gross volume: 24 gal / 90 L | 22.7 gal / 86 L |

water volume: 15.59 gal / 59 L | 14.5 gal / 55 L

Sound Level: 70 dBA

Power Source: corded



V-WA-30

WIDE AREA VACUUM

Applications

Vacuuming in large carpeted areas found in hospitality, healthcare, schools, military installations, and prisons.

Model Highlights

- Save time and tackle large spaces with wide-area models that get the job done faster.
- Rugged, long lasting design includes heavy-duty rotomold construction for long-lasting performance.
- LEED qualifying with Certified CRI Bronze rating.

Cleaning Path: 30 in / 760 mm

Vacuum Bag: 37 qt / 35.2 L

Speed: 1,200 rpm

Sound Level: <70 dBA

Power Source: corded

Speciality Machines

Rely on the extensive Tennant product line for everything you need to maintain a first-rate facility



Dryer/Air Mover

COMMERCIAL FAN

Applications

Rugged and powerful unit can be placed in three positions to precisely direct air where it's needed.

Model Highlights

- Reduce drying time dramatically with this powerful three-speed air mover.
- Convenient, stackable units free up valuable space in closets, storage areas and transport vehicles.
- Optional wheeled hand cart for easy transportation and handling.

CFM: 1350 (710 rpm / 1105 rpm / 1550 rpm)
Horsepower: 0.6 hp / 522 Watt
Power Source: corded



ASC-15

ALL-SURFACE CLEANER

Applications

Multi functional cleaner cleans and rinses restrooms and other hard surfaces, blows dry the rinsed surfaces and recovers the dirty water.

Model Highlights

- Increase productivity and employee safety and morale with this touch-free method of cleaning.
- Go-anywhere, robust design for maximum cleaning uptime and years of reliable use.
- Comes complete with ten standard tools and accessories, including a telescopic vacuum wand and a separate expandable clean-air blower hose.

Solution | Recovery Tank: 15 gal / 57 L | 19 gal / 72 L
Water Lift: 117 in / 2,982 mm
Sound Level: 82 dBA
Power Source: corded



Q12

MULTI-SURFACE

Applications

Restorative cleaning performance in an easy to use Multi-Surface Cleaner.

Model Highlights

- Maximizes hard surface cleaning performance by delivering 2.2 gpm (83 L/min) of solution at 1200 psi (83 bar) with 1400 rpm to eliminate streaking.
- Powerful dual rotating jets deliver an exceptional level of cleaning results.
- Offers reliable CRI silver cleaning performance on soft surfaces in an easy to use, versatile design.

Solution | Recovery Tank: 15 gal / 57 L | 13.5 gal / 51 L
Water Lift: 137 in / 3,480 mm
Sound Level: >75 dBA
Power Source: corded

TennantTrue®


Optimizing equipment cleaning performance and providing the highest-quality parts, service, and support



Service and Maintenance

Ensure optimal cleaning performance by selecting a TennantTrue® Service program provided by a network of factory-trained Tennant Service Representatives.

- Network of nearly 500 factory-direct technicians and 80 authorized dealers provide consistent service across the U.S. and Canada.
- TennantTrue Service responds to most service requests within 24-48 hours, depending on your service plan.



Detergents and Cleaning Solutions

TennantTrue detergents offer environmentally safe packaging and features to support your green cleaning initiatives.


- Packaging is color coded for easy identification, training, and safety.
- Formulated for your Tennant and Nobles machines to eliminate harm to gaskets, seals, vacuum fans, or other critical components.
- All products use biodegradable surfactants and recyclable packaging.
- Tennant low-foam detergents deliver high-performance results.



Technical Support

One call, complete support.

- Knowledgeable representatives available to address any floor-care need or product question.
- Expert recommendations from the professionals.
- Immediate access to your machine's service history performed by a Tennant Service representative through Tennant's ServiceLINK®.



Parts

Only genuine Tennant *True*® parts are designed specifically to fit with Tennant machines, delivering exceptional cleaning performance.

Every 30 minutes of extra cleaning = \$198 extra labor costs per month, or \$2,370 annually.*

Reduce rework and extra labor costs by using only Tennant *True* parts on your Tennant cleaning equipment.


- Reduce maintenance costs and machine wear.
- Minimize slip, trip, and fall accidents caused by oily or slippery floors and debris.
- Eliminate rework by picking up water and debris on the first pass.

*Based on a 7-day cleaning cycle with labor costs at \$13 per hour



Financing, Pre-Owned, and Rental

- **Lease:** Make budgeting easier by utilizing our financial partners to lease your Tennant equipment.
- **Pre-Owned:** Get quality machines at a budget-friendly price. All Tennant pre-owned machines are refurbished and equipped with genuine TennantTrue parts, so you can ensure you're getting top value for your investment.
- **Rental:** Get the job completed on-time and within budget by renting Tennant equipment.



FlexClean®

Sign up for our Tennant *True* FlexClean program and free yourself from the hassles of equipment ownership. We provide equipment, parts, service and support – for one predictable monthly payment.

- Excellent cleaning results without the hassle of owning equipment.
- One fixed monthly bill includes maintenance, parts, and service.
- Flexible plans that easily adjust to meet your needs.

Seeing Is Believing

Tennant Company helps you succeed with outstanding cleaning performance and the highest-quality products, service and support.

Rely on the Tennant Line of Floor-Care Solutions for:

- Durable sweepers and scrubbers built to withstand heavy use in harsh environments
- Reliable solutions – from equipment to coatings – that provide excellent performance day after day, year after year
- Increased productivity thanks to ergonomically designed machines and operator-training programs
- Maximum machine uptime from innovative engineering and groundbreaking technologies
- Continuous support from a responsive, nationwide network of nearly 500 factory-trained technicians and dedicated customer service representatives
- Peace of mind that comes from knowing your investment is protected by one of the industry's most comprehensive warranties

Turning Insights into Innovation for over 130 Years

Tennant Company's commitment to understanding the floor-care needs of our customers has led to dozens of notable awards and honors, including:

- 2022 The Minnesota Census of Women in Corporate Leadership, recognized with special distinction for achieving gender parity on either their board of directors, among their executive officers, or both.
- 2022 Sanitary Maintenance – T16AMR, Distributor Choice Award Winner, Technology and Innovation Category,
- 2022 Twin Cities Business Magazine – Autonomous Solutions, Manufacturing Excellence Award
- 2018 IDEA Award – T600 Floor Scrubber, International Design Excellence Awards
- 2014 IDEA Award – B5 Battery Burnisher, International Design Excellence Awards
- 2013 GOOD DESIGN Award – T12 Rider Scrubber, Industrial Design Excellence
- 2012 Australian Business Awards – Orbio 5000-Sc, Top Honours
- 2011 R&D 100 Award Winner – 500ze, R&D Magazine
- 2011 Manufacturer of the Year Award – Manufacturers Alliance
- 2010 Clean Tech Tekne Award Winner – 500ze MN High Tech Association
- 2010 Innovation Award – 500ze- Ruban d'Honneur Winner
- 2009 Manufacturer of the Year Award, ABM Industries, Inc.
- 2009 Business Innovation of the Year – ec-H2O, European Business Awards
- 2009 Manufacturer of the Year Award – ec-H2O Technology – CleanNZ Trade Show, New Zealand
- 2008 Clean Tech Tekne Award Winner – ec-H2O – Mn High Tech Association
- 2008 R&D 100 Award Winner – ec-H2O, R&D Magazine
- 2007, 2008 & 2014 Best Small Companies, Forbes
- 2007 & 2014 America's Most Trustworthy Companies, Forbes

Headquartered in Minnesota, Tennant Company has the most extensive global field service network in the industry with manufacturing operations in Minneapolis, Minn.; Holland, Mich.; Louisville, Ky.; Uden, The Netherlands; the United Kingdom; São Paulo, Brazil; and Hefei, China. Tennant products are available in more than 80 countries.

Lease. Pre-Owned. Rent.
Tennant has flexible options
that get you the machines
you need, however you
need them.

For a demonstration or additional information,
call **+1.800.553.8033** or email **info@tennantco.com**

tennant-product-guide-en-noam 4/24
©2024 The Tennant Company logo and other trademarks designated with the symbol "®" are trademarks of Tennant Company registered in the United States and/or other countries. Tennant Company's products are sold and serviced through subsidiaries of Tennant Company and distributors. All rights reserved.
BrainOS® is a registered trademark of Brain Corp.

Tennant Company
10400 Clean Street
Eden Prairie, MN 55344-2650, USA
USA/Canada: +1.800.553.8033
Quebec: +1.800.361.9050
Overseas: +1.763.540.1315
www.tennantco.com | info@tennantco.com